WORKSHOP AND OPERATING FACILITIES

2018 2019

Extract from general catalog

Chapter H

ssi-schaefer.com

1. man



SSI SCHAEFER systems ensure organization and order in workshops, operating facilities and material delivery

Efficient processes, easy access and flexibility in the workshop form the basis for the highest operational quality and throughput. To support professionals with their daily work, SSI SCHAEFER has long been dedicated to meeting the diverse needs of different workplaces.

From material enclosures and canteen furnishings to the social areas: our systems are based upon proven, practical equipment and furnishings.



Workshop / operating facilities





H2
H4
H6
H8
Н10

Equipment for changing rooms	H12
Clothes lockers	H14
Locker columns and wardrobes	H22

Cabinets - versatile interiors with a system

Regardless of whether you are storing large or small objects, files, or simply need a place to hang your coat, material cabinets have a solution for everything.

SSI SCHAEFER cabinet systems have proven themselves in workshops, in industry and in offices thousands of times over. The modular design and flexible fittings have made these systems essential at many companies.

SSI SCHAEFER's cabinet range is efficient, versatile and variable. Functionally designed for practical use based on the latest insights. A product range where everything simply fits.





Cabinet systems	
MSI range wing-door cabinets	H4
Functional cabinets	H6
Special cabinets	H8
Fix-shelf cabinets, semi-open front storage containers	H10

Wing-door cabinets – MSI range



Full steel construction made of high-quality sheet steel, high quality workmanship, powder coated, with internal hinges

Fittings

loading capacity of each shelf up to 50 kg, height adjustable in 25 : 25 mm steps, color: Light Gray, RAL 7035 or galvanized





- Reinforced wing doors with noise-absorbing rubber buffers, rod lock with twist handle
- Security locking cylinder with 2 keys

Wing-door cabinets – MSI range

Top cabinets – Height 800 mm


Artikel	External dimensions W x H (mm)	Depth (mm)	Number of shelves	Order no.
MSI 8408	800 x 800	400	1	10573*
MSI 8409	950 x 800	400	1	10574*
MSI 8412	1,200 x 800	400	1	10575*

Material cabinets – Height 1,600 mm

Artikel	External dimensions W x H (mm)	Depth (mm)	Number of shelves	Order no.
MSI 16408	800 x 1,600	400	3	10570*
MSI 16409	950 x 1,600	400	3	10571*
MSI 16412	1,200 x 1,600	400	3	10572*

Material cabinets – Height 1,950 mm

Artikel	External dimensions W x H (mm)	Depth (mm)	Number of shelves	Order no.
MSI 2408	800 x 1,950	400	4	10537*
MSI 2409	950 x 1,950	400	4	10538*
MSI 2412	1,200 x 1,950	400	4	10539*
MSI 2509	950 x 1,950	500	4	10533*
MSI 2512	1,200 x 1,950	500	4	10563*



LIGHT GRAY BRIGHT SILVER RESEDA GREEN GENTIAN BLUE Doors


Additional intermediate shelves

Up to 50 kg when loaded evenly. Incl. 4 intermediate shelf supports.
--

Artikel	Туре	Cabinet dimensions W x D (mm)	PU	Order no.
MSI-B 800	Painted	800 x 400	2	105760
MSI-B 950	Painted	950 x 400	2	105770
MSI-B 1200	Painted	1,200 x 400	2	105780
MSI-B 409	Galvanized	950 x 400	1	10350
MSI-B 509	Galvanized	950 x 500	1	10370
MSI-B 412	Galvanized	1,200 x 400	1	23690
MSI-B 512	Galvanized	1,200 x 500	1	23790









Functional cabinets with wing doors



Door sets for functional cabinets

Reinforced wing doors with different designs with 2 rod lock and lockable, recessed twist handle with 2 keys. Doors with glass inserts only for cabinet with 1,055 mm.

Item	Cabinet height (mm)	Cabinet width (mm)	Туре	Order no.	Item	Cabinet height (mm)	Cabinet width (mm)	Туре	Order no.
FH-ST10H-S	1,105	1,055	Standard	33077*	FST10-S	1,950	1,055	Standard	32807*
FKT10H-K		1,055	Box rails	33078*	FST10-K		1,055	Box rails	32809*
FKT10H-L		1,055	Perforated panel	33079*	FST10-L		1,055	Perforated panel	32811*
FKT10H-G		1,055	Viewing window	33080*	FST10-G		1,055	Viewing window	32813*
FH-ST13H-S	1,105	1,345	Standard	33081*	FST13-S	1,950	1,345	Standard	32808*
FKT13H-K		1,345	Box rails	33082*	FST13-K		1,345	Box rails	32810*
FKT13H-L		1,345	Perforated panel	33083*	FST13-L		1,345	Perforated panel	32812*
FKT13H-G		1,345	Viewing window	33084*					



Diverse configuration options provide the optimum solution for your needs

Leveling feet for floor compensation of up to 20 mm as standard

Cabinet housings

Welded sheet steel construction with high-quality workmanship. Height adjustment for fittings and accessories in 26.5 : 26.5 mm steps. Load capacity with at least 3 shelves: 600 kg, high-quality powder coating.

Item	External dimensions W x H (mm)	Depth (mm)	Order no.
Cabinet housin	ng 1/2 height		
FSG 1310	1,055 x 1,105	320	33070*
FSG 1410	1,055 x 1,105	420	33071*
FSG 1510	1,055 x 1,105	520	33072*
FSG 1610	1,055 x 1,105	620	33073*
FSG 1413	1,345 x 1,105	420	33074*
FSG 1513	1,345 x 1,105	520	33075*
FSG 1613	1,345 x 1,105	620	33076*
Cabinet housin	ig 1/1 height		
FSG 2310	1,055 x 1,950	320	32800*
FSG 2410	1,055 x 1,950	420	32801*
FSG 2510	1,055 x 1,950	520	32802*
FSG 2610	1,055 x 1,950	620	32803*
FSG 2413	1,345 x 1,950	420	32804*
FSG 2513	1,345 x 1,950	520	32805*
FSG 2613	1,345 x 1,950	620	32806*

Color code for cabinet/door color

6.6.8

Perforated panel

* Please append the color-code to the order number:

LIGHT GRAY BRIGHT SILVER LIGHT GRAY BRIGHT SILVER GENTIAN BLUE TRAFFIC RED

Viewing window



- Compartment load capacities The specified load values apply for uniformly distributed loads
- A double safety brake is required when more than one drawer is fitted

(mm)

100

206

FS-ESCH 9510

FS-ESCH 9610

FS-ESCH 9520

FS-ESCH 9620

(mm)

520

620

520

620

(mm)

437

567

437

567

(kg)

50

50

50


50



Order no.	ltem	for cover panel height (mm)	Order no.
102230	ZDS-106	100	102206
102231	ZDS-212	206	102207
102232	Factory pre	e-assembly required	
102233	VM-ESCH		18145

Special cabinets





- Full steel construction made of high-quality sheet steel, high quality workmanship, powder coated, with internal hinges
- Reinforced wing doors with noise-absorbing rubber buffers, rod lock with twist handle
- Security locking cylinder with 2 keys
- Collecting trays

for legally compliant storage of small containers with substances hazardous to water as per the Water Resources Act (WHG). Load capacity of 30 kg for evenly distributed loads, collection volume 20 l. height adjustable in 25 mm steps. Galvanized.

- Intermediate shelves height adjustable and 25 mm steps, load capacity of 60 kg for evenly distributed loads. Galvanized
- Labeling as per the Ordnance on Hazardous Substances

Request our "safe@work" catalog

Environmental cabinets

For legally compliant storage of small containers with substances hazardous to water as per the Water Resources Act (WHG). Not certified for the storage of flammable liquids.

Item	External dimensions W x D x H (mm)	Number of collecting trays	Order no.
UWS 1409	950 x 500 x 1,400	3	198230
UWS 2509	950 x 500 x 1,950	4	199210


Additional collecting trays

Item	External dimensions W x D x H (mm)	Order no.
UWS-AW	900 x 430 x 70	194080

Material cabinets with Type 30 safety compartment

With 3 intermediate shelves in 1 collecting tray. Fire-resistant safety compartment for legally compliant storage of up to 50 L of flammable and highly flammable liquids as per the Ordinance on Industrial Safety and Health (BetrSichV). Type 30 as per the new DIN EN 14470-1.

Safety compartment internal dimensions: W 805 x D 405 x H 405 mm.





Special cabinets Fire-resistant hazardous goods cabinet, Type 90 With 3 intermediate shelves, perforated panel insert and collecting tray. Fire-resistant wing door cabinet suitable for lifting trolley transport for the legally compliant storage of hazardous substances in work areas as per DIN EN 14470-1, fire resistance 90 minutes, GS certified, CE compliant, DIN 14727 compliant (laboratory furnishings). The cabinet is equipped with an integrated base suitable for lifting trolley transport. Delivered without plinth rail. Additional colors available on request. External dimensions Item Order no. W x D x H (mm) STR12-3 1,200 x 615 x 1,955 2022018 STR12SB 1,120 x 90 x 35 Plinth rail 2022141 FHFWF Delivered free domicile, including packaging on req. FVFWF Delivered free place of use, including packaging on req. TYP 90 DIN EN 14470 90 Minuten conditiona



Wing doors with rod locks

Workshop cabinets

Base unit on castors

WxD

(mm)

500 x 500

Painted black. With 4 swivel castors.

Item

WSCH 1

Item

WRU

- High-quality sheet steel stove-enamel finish
- Intermediate shelves adjustable in 25 : 25 mm steps, galvanized, load per shelf: 50 kg
- Door lock Twist handle and security cylinder lock with two keys

1 wing door with security lock and 2 keys. W 500 x H 1.000 x D 500 mm.

Order no


10022

10020

10023

Order no.

10220



Writing desk attachments

High-quality sheet steel. Cover plate with security lock and 2 keys. W 500 x H 80/260 x D 500 mm.

Item Order no.

Drawer dividers

Height 80 mm. Suitable for all drawers in WSCH 1.


Item		Order no.
SU-Q1	Crosswise partitioning	10030
SU-L1	Lengthwise partitioning	10040
SU-K1	Four-way partitioning	10050

Workshop cabinets



Order no. = in stock

Fix-shelf cabinets



Empty housing, individual

W x D (mm)	Height (mm)	Туре	Order no.	
670 x 260	780	without doors	9382	9380
670 x 260	1,575	without doors	9372	9370
670 x 260	2,000	without doors	9362	9360
670 x 260	780	with doors	590491	590376
670 x 260	1,575	with doors	590370	590377
670 x 260	2,000	with doors	590374	590378
()	mm) 670 x 260 670 x 260 670 x 260 670 x 260 670 x 260 670 x 260	mm) (mm) 670 x 260 780 670 x 260 1,575 670 x 260 2,000 670 x 260 780 670 x 260 1,575	mm) mm) mm) 670 x 260 780 without doors 670 x 260 1,575 without doors 670 x 260 2,000 without doors 670 x 260 780 with doors 670 x 260 780 with doors 670 x 260 1,575 with doors	mm) mm) mm 670 x 260 780 without doors 9382 670 x 260 1,575 without doors 9372 670 x 260 2,000 without doors 9362 670 x 260 780 with doors 9362 670 x 260 780 with doors 590491 670 x 260 1,575 with doors 590370



FSCH/9

With 9 intermediate shelves. Dimensions W 670 x H 1,575 x D 260 mm.


ltem	Order no.	Ñ
FSCH/9 without doors	9672	9670
FSCH/9 with doors	9712	9710
Semi-open front storage cont.	-	
LF 221 PP	9992	



FSCH/11

With 11 intermediate shelves. Dimensions W 670 x H 1,575 x D 260 mm.

Item	Order no.	Ũ
FSCH/11 without doors	9752	9750
FSCH/11 with doors	9792	9790
Semi-open front storage cont.	1	
LF 211 / LF 221 PP	9993	



- Customized configurations due to diverse equipment variants
- System diversity due to various heights, usable without doors as an open shelf
- High-quality sheet steel stove-enamel finish
- Intermediate shelves adjustable in 25 : 25 mm steps, galvanized
- Door lock with recessed twist grip and security lock



LSCH/6

With 6 intermediate shelves. Dimensions W 670 x H 780 x D 260 mm.

Item	Order no.	
		U
LSCH/6 without doors	9912	9910
LSCH/6 with doors	9952	9950
Semi-open front storage cont.	*	
LF 211 PP	9991	



FSCH/14

With 14 intermediate shelves. Dimensions W 670 x H 1,575 x D 260 mm.

Item	Order no.	~
		\square
FSCH/14 without doors	9832	9830
FSCH/14 with doors	9872	9870
Semi-open front storage cont.		
LF 211 PP	9994	

Fix-shelf cabinets, semi-open front storage containers



FSCH/12


With 12 intermediate shelves. Dimensions W 670 x H 2,000 x D 260 mm.

ltem	Order no.	Ũ
FSCH/12 without doors	9432	9430
FSCH/12 with doors	9472	9470
Semi-open front storage cont.	1	
LF 221 PP	9995	



FSCH/15

With 15 intermediate shelves. Dimensions W 670 x H 2,000 x D 260 mm.





FSCH/18

With 18 intermediate shelves. Dimensions W 670 x H 2,000 x D 260 mm.

Item	Order no.	Î
FSCH/18 without doors	9592	9590
FSCH/18 with doors	9632	9630
Semi-open front storage cont.	*	
LF 211 PP	9997	

Fix-shelf cabinets are available with the following fittings

Item	Height (mm)	Number shelves	Number of semi-open t LF 211	front storage cont., PP LF 221
Semi-open front storage containers for LSCH/ 6, complete range	780	6	42, blue	-
Semi-open front storage containers for FSCH/ 9, complete range	1,575	9	-	40, red
Semi-open front storage containers for FSCH/11, complete range	1,575	11	36, blue	24, red
Semi-open front storage containers for FSCH/14, complete range	1,575	14	90, blue	-
Semi-open front storage containers for FSCH/12, complete range	2,000	12	-	52, red
Semi-open front storage containers for FSCH/15, complete range	2,000	15	54, blue	28, red
Semi-open front storage containers for FSCH/18, complete range	2,000	18	114, blue	-



Plastic semi-open front storage containers – LF range

Polypropylene	, for warehouse and workshop ca	abinets.						
Item	Internal dimensions of the base L x W x Usable H (mm)	Volume (liters)	PU	Order no.		-		
LF 110 PP	65 x 91 x 44	0.26	50	1142031	1142032	1142033	1142034	H=92 H H102H H68H H=98H
LF 211 ZW PP	135 x 88 x 67	0.9	50	92191	92192	92193	92194	
LF 221 CS PP	191 x 128 x 111	2.7	40	91281	91282	91283	91284	
LF 321 G PP	294 x 183 x 133	7.5	28	91921	91922	91923	91924	

Wardrobes and clothes lockers furnishings for locker rooms

A complete workshop product range also includes furnishings for locker rooms and social areas. This allows employees to change clothes and to safely lock up their personal items.

All of the SSI SCHAEFER locker columns and wardrobes can be installed quickly and without extensive construction work. They can also be expanded as desired at any time. Their exceptional range of combination options offer both flexibility and

enormous space savings. For example, up to 20 lockers can be installed in only slightly more than one meter of room length.

The visual element plays a key role in entry and withdrawal areas. SSI SCHAEFER offers a broad spectrum of design options. The wardrobe and locker cabinets are highly versatile. Exceptionally functional, they are variable and sophisticated down to the last detail. The clothes lockers are functionally equipped with outstandingly variable designs and made of high-quality sheet steel. These are the convincing solution for the most demanding standards when it comes to the appearance, equipment and security.









Equipment for changing rooms

Clothes lockers, section width 300 mm	H14
Clothes lockers, section width 400 mm	H15
Clothes lockers, 1/2 section 300/400 mm	H16
Clothes lockers with benches 300/400 mm	H17
Clothes lockers, section width 600 mm	H18
Clothes lockers, section width 2x 300 mm	H19
Accessories for clothes lockers	H20
Benches	H21
Locker columns and wardrobes	H22

Clothes lockers with section width 300 mm



Two section widths ► 300 mm

2 sections: W 630 x D 500 mm 3 sections: W 930 x D 500 mm 4 sections: W 1,230 x D 500 mm



RAL 7035

RAL 7035

400 mm

2 sections: W 830 x D 500 mm 3 sections: W 1,230 x D 500 mm

Total height:

- 1,800 mm with base* (H 100 mm)
- 1,850 mm with stud feet* (H 150 mm) Bases are delivered disassembled and must be assembled
- High-quality sheet steel high-quality powder coating, housing Light Gray RAL 7035, doors available in 4 different RAL colors

Equipment per section


1 hat shelf, 1 clothing rail with 2 movable clothes hangers, hand towel holder on the inside of the door (not full versions with perforated doors)

Doors

with ventilation holes at the top and bottom or role of holes in the middle, twist lock for padlock



	ciii ciii		
- 1,850			
⊢ 630 ⊣	⊢ 930 —	└── 1,230 ───	
	00 00 00 00 00	c(1) c(1) c(1) c(1)	
	D	0	



Clothes lo	ckers				
Doors with v	entilation holes.				
Item	Sections	Order no.			
with feet					
KL2F	2	115921	115924	115925	115926
KL3F	3	115941	115944	115945	115946
KL4F	4	115961	115964	115965	115966
with base					
KL2S	2	115931	115934	115935	115936
KL3S	3	115951	115954	115955	115956
KL4S	4	115971	115974	115975	115976


Doors with middle perforation. Item Sections

Clothes lockers

		$\widehat{\mathbf{M}}$			
with feet					
KLL2F	2	112601	112604	112605	112606
KLL3F	3	112621	112624	112625	112626
KLL4F	4	112641	112644	112645	112646
with base					
KLL2S	2	112611	112614	112615	112616
KLL3S	3	112631	112634	112635	112636
KLL4S	4	112651	112654	112655	112656

Order no.

Clothes lockers with section width 400 mm




RAL 7035 RAL 7035 LIGHT GRAY LIGHT GRAY


YELLOW RAL 1021 Housing

RUBY RED Fronts RAL 3003

Clothes lockers with section width 300/400 mm and half-height compartments







	with base	
	KLG2S	2
	KLG3S	3
	KLG4S	4
п.	Clothes I	ockers, section width 400 m
	With 2 half	height, full doors with ventilation h
	Item	Sections
	with feet	
	KLG2F-4	2
	KLG3F-4	3
L		

Two section widths ► 300 mm

630 x D 500 mm LIGHT GRAY GENTIAN BLUE RAL 7035 RAL 5010 2 sections: W 3 sections: W 930 x D 500 mm 4 sections: W 1,230 x D 500 mm

400 mm

2 sections: W 830 x D 500 mm 3 sections: W 1,230 x D 500 mm



RAL 7035

RAL 7035

Total height:

1,800 mm with base* (H 100 mm) 1,850 mm with stud feet* (H 150 mm)

or 865 mm for half-height clothes lockers

* Bases are delivered disassembled

and must be assembled



Stud feet

Full sheet steel base



Clothes lo	ockers, section width 300 mm				
With 2 half-h	neight, full doors with ventilation holes.				
Item	Sections	Order no.			
with feet					
KLG2F	2	112701	112704	112705	112706
KLG3F	3	112721	112724	112725	112726
KLG4F	4	112741	112744	112745	112746
with base					
KLG2S	2	112711	112714	112715	112716
KLG3S	3	112731	112734	112735	112736
KLG4S	4	112751	112754	112755	112756

nm

noles.

Item Sections Order no.
with feet
KLG2F-4 2 112761 112764 112765 11276
KLG3F-4 3 112781 112784 112785 11278
with base
KLG2S-4 2 112771 112774 112775 11277
KLG3S-4 3 112791 112794 112795 11279




- High-quality sheet steel high-quality powder coating, housing Light Gray, RAL 7035, doors available in 4 different RAL colors
- Equipment per section 1 clothing rail with 2 movable clothes hangers
- Doors

with ventilation holes at the top and bottom, twist lock for padlock

Clothes lockers, section width 300 mm

With bench mounted underneath, seat surface made of beech (H 420 x D 320 mm), delivered disassembled, easy assembly. Height: 2,120 mm steps.

Item	Sections	Order no.			
KLS2-U	2	112921	112924	112925	112926
KLS3-U	3	112931	112934	112935	112936
KLS4-U	4	112941	112944	112945	112946



Clothes lockers with benches,

section width 300 mm

Shoe storage

ltem	Frame dimensions B x D (mm)	Weight (kg)	Frame color	Order no.
ESR06	630 x 200	2.8	black	194470
ESR09	930 x 200	3.2	black	194490
ESR12	1,230 x 200	3.6	black	194500

Clothes lockers with benches, section width 400 mm

	ch mounted underneath, disassembled, easy ass		le of beech (H 420 x D 32 120 mm steps.	0 mm),		
Item	Sections		Order no.		411 011 011 011 011 011 011 011 011 011	
KLS2-U-4 KLS3-U-4	2 3		112911 112914 112 112991 112994 112	915 112916 995 112996		
Shoe st	orage				With bench mounted underneath	
Item	Frame dimensions B x D (mm)	Weight (kg)	Frame color	Order no.		
			black	194480		
ESR08	830 x 200	3.0	DIGCK	134400		



Clothes lockers with section width 600 mm





Two widths

- 1 section (2 compartments): W 630 x D 500 mm 2 sections (4 compartments): W 1,230 x D 500 mm Total height: 1 800 mm with base* (H 100 mm
- 1,800 mm with base* (H 100 mm)
- 1,850 mm with stud feet* (H 150 mm) * Bases are delivered disassembled
- and must be assembled

Workplace Ordnance

Every employee is entitled to a locker with 2 compartments each 300 mm wide provided that the separation of work and street clothes is mandatory



Stud feet

Full sheet steel base



With back-to-back doors and full-length hat shelf. 1 section: 600 mm. Height: 1,800 mm with base, 1,850 mm with feet. Item Sections with feet KL1-600F 1 item 168301 item 168301 item 1 item 1	Clothes lo	ckers, section width 600 mm, full	length			
with base			50 mm w	ith feet.		
KL1-600F 1 168301 168304 168305 168306	ltem	Sections	Order no.	$\hat{}$	Î	ñ
with base	with feet					
	KL1-600F	1	168301	168304	168305	168306
KL1-600S 1 168311 168314 168315 168316						
	KL1-600S	1	168311	168314	168315	168316

Order no. = in stock



page H20

► High-quality sheet steel

high-quality powder coating, housing Light Gray, RAL 7035, doors available in 4 different RAL colors

Equipment

Doors

with ventilation holes at the top and bottom, twist lock for $\ensuremath{\mathsf{padlock}}$



Clothes lockers, double section, section width 2x 300 mm With back-to-back doors. Height: 1,800 mm with base, 1,850 mm with feet. Item Sections Order no. ,850 with feet KL2/1-SW-F 1 114461 114464 114465 114466 KL4/2-SW-F 2 114481 114484 114485 114486 800 with base KL2/1-SW-S 114471 114474 114475 114476 1 ⊢ 630 ⊣ ⊢_____1,230 · KL4/2-SW-S 2 114491 114494 114495 114496

Clothes lockers with section width 2x 300 mm

Accessories for clothes lockers



Locking cylinder

With 2 keys. Optional for all clothes lockers. Optional general key, on request.

Item	Order no.
MZYL1	114500



Security rotary handle

Prevents the lock from being over-twisted when a padlock is attached. Provides increased anti-theft protection.

Item	Order no.
SVR1	114391



Combination padlock

Double locked, stainless steel mechanism. Chromed bail arm and hardened steel, body made of solid brass. Internal height of the bail arm: 25 mm Individual key.

Item	<mark>Order no.</mark>
ZVS25-V	114380




Reinforced lock

Increased security against break-ins. Galvanized steel plate for reinforcing the lock.

ltem	Order no.
KL-SV	113380







Deposit locks For clothes lockers. With coin slot.

Item	for	Order no.
PFS-KL	KL	10440
PFS-KLG	KLG	10441



Inclined roof section

M/ 11/...

Prevents objects from being placed on the tops of the lockers. Open at the rear. Also suitable for retrofitting. Color: Light gray, RAL 7035.

Item	W X H (mm)	Uraer no.
SDA63	630 x 150	114510
SDA83	830 x 150	114520
SDA93	930 x 150	114530
SDA123	1,230 x 150	114540



Security code lock

Easy programming and code configuration, low battery display (2x AAA, not included in the scope of delivery).

Item	Order no.
EKS-KL	591217



Locker numbering

Silver-colored adhesive film with black, continuous number.

Item	Numbers	PU	Order no.
SN-KL1	1 - 50	50	113381
SN-KL2	1 - 100	100	113382

Accessories for clothes lockers



Paper labels and film

Fits the signature frame on the locker doors.

Item	PU	<mark>Order no.</mark>
PEF-KL	100	113387



Pendulum dividers

Four lockers with section width 400/ 600 mm (pages H15 and H18). For subsequent section partitioning into two compartments each 200/300 mm wide.

Item	Order no.
PTRW	113390





Benches with and without hook frame

Sturdy frame made of square tube 22 x 22 x 2 mm, RAL 8022 Black-Brown powder coating. Bench, backrest and hook frame made of beech plywood, painted, 95 x 25 mm. Delivered disassembled, easy assembly. Seat height 415 mm, seat depth 310 mm.

ltem	Bench length (mm)	Frame dimensions W x D x H (mm)	Weight (kg)	Order no.
without hook	frame			
ESB10	995	925 x 285 x 390	10	114400
ESB15	1,495	1,425 x 285 x 390	16	114410
ESB20	1,995	1,925 x 285 x 390	18	114420
with hook frame				
SBH10	995	925 x 285 x 390	18	114401
SBH15	1,495	1,425 x 285 x 390	26	114411
SBH20	1,995	1,925 x 285 x 390	30	114421



The tray collects dirt and water for easy disposal. Made of sturdy plastic, color: silver.

Item	PU	Order no.
SA3-KL	3	<mark>2023001</mark>



Shoe storage

ltem	Bench length (mm)	Frame dimensions B x D (mm)	Weight (kg)	Order no.
ESR10	995	925 x 200	3.0	114430
ESR15	1,495	1,425 x 200	3.6	114440
ESR20	1,995	1,925 x 200	5.2	114450


Locker columns and wardrobes












Locker columns and wardrobes

Wardrobe with clothing rail, locker columns with 4, 5 or 6 compartments.

Item		W x H x D (mm)	Order no.	
G350	Wardrobe cabinet	350 x 1,950 x 500	24101 2410	0 24102
G350-4	Wardrobe cabinet, 4 shelves	350 x 1,950 x 500	24111 2411	0 24112
SFW 4/4	Locker column, 4 compartments	350 x 1,950 x 500	10431 1043	0 10432
SFW 4/5	Locker column, 5 compartments	350 x 1,950 x 500	10901 1090	0 10902
SFW 4/6	Locker column, 6 compartments	350 x 1,950 x 500	10911 1091	0 10912
SFW 5/5	Locker column, 5 compartments	263 x 1,950 x 500	10421 1042	0 10422

Locker units





Locker units

With hat shelf, clothing rail, spacer tubes and 4, 5, 8 or 10 lockers or end wall.

ltem		W x H x D (mm)	Order no.	Ũ	Ĩ
SFG 4	Starter unit, 8 compartments	1,650 x 1,950 x 500	10401	10400	10402
SFA 4	Extension unit, 4 compartments	1,300 x 1,950 x 500	10411	10410	10412
SFG 5	Starter unit, 10 compartments	1,476 x 1,950 x 500	10191	10190	10192
SFA 5	Extension unit, 5 compartments	1,213 x 1,950 x 500	10201	10200	10202
SE5	Extension unit, 9 compartments	1,306 x 1,950 x 500	24136	24130	24133
SFR	End frame, wall	975 x 1,950 x 500	10211	10210	10212

